

SBC Z XTS


CS Italia s.r.l.



Optional su richiesta info@carrellispeciali.it 

SBC Z XTS

CS Italia s.r.l.



Illustrazioni e dati tecnici non sono impegnativi. Il costruttore si riserva il diritto di apportare modifiche senza preavviso.

Tipologia SBC Z XTS

Categoria Contrappesati

General info	1.1	Manufacturer			CSI s.r.l.
	1.2	Model			SBC Z XTS
	1.3	Drive			elettrico AC
	1.4	Operator type			a timone
	1.5	Load capacity	Q	t	1.6
	1.6	Load centre	c	mm	400
	1.9	Wheelbase	y	mm	1005
Weights	2.1	Truck weight without battery		Kg	2400
Wheels and chassis	3.1	Wheels			Poliuretano
	3.2	Wheels size front		mm	254x100
	3.3	Wheels size rear		mm	200x80
	3.5	Number of rear/front wheels (x = Traction wheel)			1x/2
	3.7	Rear wheelbase	b11	mm	825
Dimensions	4.1	Tilt		°	2°/2°
	4.2	Height mast lowered	h1	mm	2280
	4.4	Lift height	h3	mm	550
	4.5	Height mast extended	h4	mm	2760
	4.9	Height of tiller (min/max)	h14	mm	975/1535
	4.15	Height forks lowered	h13	mm	40
	4.19	Overall length	l1	mm	2170
	4.20	Length to face of forks	l2	mm	1330
	4.21	Overall width	b1	mm	862
	4.22	Forks dimensions	s/e/l	mm	70/90/840
	4.31	Ground clearance		mm	40
	4.35	Turning radius	wa	mm	1235
Performance	5.1	Travel speed with/without load		Km/h	2/5
	5.2	Lifting speed with/without load		m/s	0,11/0,33
	5.3	Lowering speed with/without load		m/s	0,5/0,2
	5.8	Maximum gradeability with/without load		%	1/3
	5.10	Service brake			elettrico
Motor	6.1	Traction motor S2 60 min.		Kw	2.5
	6.2	Lift motor S3		Kw	3
	6.3	Battery			Piombo acido
	6.4	Battery - voltage and nominal capacity		V/Ah	24V/240 Ah
	6.5	Battery weight		Kg	210
	Dim. batteria	Battery size		mm	810x210x450
Other	8.1	Traction control			proporzionale
	8.4	Noise level driver place			<70