

K9 SOB HEAVY DUTY 200


CS Italia s.r.l.



Optional su richiesta info@carrellispeciali.it 

K9 SOB HEAVY DUTY 200

CS Italia s.r.l.



Illustrazioni e dati tecnici non sono impegnativi. Il costruttore si riserva il diritto di apportare modifiche senza preavviso.

Tipologia K9 SOB HEAVY DUTY 200

Categoria Pianali

General info	1.1	Manufacturer			CSI s.r.l.
	1.2	Model			K9 SOB HEAVY DUTY 200
	1.3	Drive			elettrico AC
	1.4	Operator type			a volante
	1.5	Load capacity	Q	t	20
	1.6	Load centre	c	mm	1000
	1.8	Load distance to wheel axle	x	mm	1350
	1.9	Wheelbase	y	mm	2250
	Weights	2.1	Truck weight without battery		Kg
Wheels and chassis	3.1	Wheels			Poliuretano
	3.2	Wheels size front		mm	350x140
	3.3	Wheels size rear		mm	500x200
	3.5	Number of rear/front wheels (x = Traction wheel)			2x/2+2
	3.6	Front wheelbase	b10	mm	550
	3.7	Rear wheelbase	b11	mm	950
	Dimensions	4.15	Height forks lowered	h13	mm
4.19		Overall length	l1	mm	3290
4.20		Length to face of forks	l2	mm	1290
4.21		Overall width	b1	mm	1140
4.22		Forks dimensions	s/e/l	mm	410/1300/2000
4.25a		Overall platform width size	b5a	mm	1300
4.31		Ground clearance		mm	70
4.32		Distanza da piano di lavoro a inizio forca	m2	mm	180
4.34		Aisle width	ast	mm	3800
4.35		Turning radius	wa	mm	2650
Performance	5.1	Travel speed with/without load		Km/h	2/5
	5.2	Lifting speed with/without load		m/s	/
	5.3	Lowering speed with/without load		m/s	0,26/0,06
	5.8	Maximum gradeability with/without load		%	0 / 2
	5.10	Service brake			elettrico
Motor	6.1	Traction motor S2 60 min.		Kw	5
	6.3	Battery			Piombo acido
	6.4	Battery - voltage and nominal capacity		V/Ah	48V320Ah
	6.5	Battery weight		Kg	500
	Dim. batteria	Battery size		mm	1015/340/780
Other	8.1	Traction control			proporzionale
	8.4	Noise level driver place			<70