

K9 SOB XT 60


CS Italia s.r.l.



Optional su richiesta info@carrellispeciali.it ✉

K9 SOB XT 60

CS Italia s.r.l.



Illustrazioni e dati tecnici non sono impegnativi. Il costruttore si riserva il diritto di apportare modifiche senza preavviso.

Tipologia K9 SOB XT 60

Categoria Transpallet

General info	1.1	Manufacturer			CSI s.r.l.
	1.2	Model			K9 SOB XT 60
	1.3	Drive			elettrico AC
	1.4	Operator type			Volante
	1.5	Load capacity	Q	t	6
	1.8	Load distance to wheel axle	x	mm	985
	1.9	Wheelbase	y	mm	1852
	Weights	2.1	Truck weight without battery		Kg
Wheels and chassis	3.1	Wheels			Poliuretano
	3.2	Wheels size front		mm	254x100
	3.3	Wheels size rear		mm	80x100
	3.4	Additional wheels size		mm	150x50
	3.5	Number of rear/front wheels (x = Traction wheel)			1x/2+2/4
	3.6	Front wheelbase	b10	mm	600
	3.7	Rear wheelbase	b11	mm	370
Dimensions	4.4	Lift height	h3	mm	115
	4.15	Height forks lowered	h13	mm	90
	4.20	Length to face of forks	l2	mm	1185
	4.21	Overall width	b1	mm	1100
	4.22	Forks dimensions	s/e/l	mm	70/200/1150
	4.25	Overall forks width size	b5	mm	570
	4.32	Distanza da piano di lavoro a inizio forca	m2	mm	20
	4.34	Aisle width	ast	mm	2585
	4.35	Turning radius	wa	mm	2195
Performance	5.1	Travel speed with/without load		Km/h	5/6
	5.2	Lifting speed with/without load		m/s	0.11/0.33
	5.3	Lowering speed with/without load		m/s	0.5/0.2
	5.8	Maximum gradeability with/without load		%	3/5
	5.10	Service brake			elettrico
Motor	6.1	Traction motor S2 60 min.		Kw	2.5
	6.2	Lift motor S3		Kw	2.2
	6.3	Battery			Piombo acido
	6.4	Battery - voltage and nominal capacity		V/Ah	24V 420Ah
	6.5	Battery weight		Kg	370
	Dim. batteria	Battery size		mm	1015/257/575
Other	8.1	Traction control			proporzionale
	8.4	Noise level driver place			<70