

SBM GL INOX 0616


CS Italia s.r.l.



Optional su richiesta info@carrellispeciali.it ✉

SBM GL INOX 0616

CS Italia s.r.l.



Illustrazioni e dati tecnici non sono impegnativi. Il costruttore si riserva il diritto di apportare modifiche senza preavviso.

Tipologia SBM GL INOX 0616

Categoria Acciaio Inox

General info	1.1	Manufacturer			CSI s.r.l.
	1.2	Model			SBM GL INOX 0616
	1.3	Drive			elettrico
	1.4	Operator type			a timone
	1.5	Load capacity	Q	t	1.6
	1.6	Load centre	c	mm	600
	1.8	Load distance to wheel axle	x	mm	720
	1.9	Wheelbase	y	mm	1510
	Weights				
	2.1	Truck weight without battery		Kg	670
Wheels and chassis					
	3.1	Wheels			Poliuretano
	3.2	Wheels size front		mm	235x75
	3.3	Wheels size rear		mm	80x80
	3.4	Additional wheels size		mm	150x50
	3.5	Number of rear/front wheels (x = Traction wheel)			1x+1/2+2
	3.6	Front wheelbase	b10	mm	480
	3.7	Rear wheelbase	b11	mm	1480
	3.9	Overall width legs	ge	mm	1600
	3.10	Inside width legs	gi	mm	1360
Dimensions					
	4.2	Height mast lowered	h1	mm	1510
	4.4	Lift height	h3	mm	550
	4.9	Height of tiller (min/max)	h14	mm	975/1535
	4.15	Height forks lowered	h13	mm	40
	4.19	Overall length	l1	mm	2240
	4.20	Length to face of forks	l2	mm	1040
	4.21	Overall width	b1	mm	854
	4.22	Forks dimensions	s/e/l	mm	40/100/1200
	4.25	Overall forks width size	b5	mm	200-1100
	4.31	Ground clearance		mm	40
	4.32	Distanza da piano di lavoro a inizio forza	m2	mm	30
	4.34	Aisle width	ast	mm	2490
	4.35	Turning radius	wa	mm	1875
Performance					
	5.1	Travel speed with/without load		Km/h	2/5
	5.2	Lifting speed with/without load		m/s	0.11/0.33
	5.3	Lowering speed with/without load		m/s	0.5/0.2
	5.8	Maximum gradeability with/without load		%	2/3
	5.10	Service brake			elettrico
Motor					
	6.1	Traction motor S2 60 min.		Kw	1.2
	6.2	Lift motor S3		Kw	2.2
	6.3	Battery			GEL
	6.4	Battery - voltage and nominal capacity		V/Ah	24V/ 315Ah
	6.5	Battery weight		Kg	240
	Dim. batteria	Battery size		mm	810/210/570
Other					
	8.1	Traction control			elettronico
	8.4	Noise level driver place			<70