

K9 SOB XT HEAVY DUTY


CS Italia s.r.l.



Optional su richiesta info@carrellispeciali.it ✉

K9 SOB XT HEAVY DUTY

CS Italia s.r.l.



Illustrazioni e dati tecnici non sono impegnativi. Il costruttore si riserva il diritto di apportare modifiche senza preavviso.

Tipologia K9 SOB XT HEAVY DUTY

Categoria Aeroportuali

General info	1.1	Manufacturer			CSI s.r.l.
	1.2	Model			K9 SOB XT HEAVY DUTY
	1.3	Drive			elettrico AC
	1.4	Operator type			a volante
	1.5	Load capacity	Q	t	8
	1.6	Load centre	c	mm	1300
	1.8	Load distance to wheel axle	x	mm	1830
	1.9	Wheelbase	y	mm	2870
	Weights				
	2.1	Truck weight without battery		Kg	3760
Wheels and chassis					
	3.1	Wheels			Poliuretano
	3.2	Wheels size front		mm	406x140
	3.3	Wheels size rear		mm	120x50
	3.4	Additional wheels size		mm	200x80
	3.5	Number of rear/front wheels (x = Traction wheel)			1x+2/6+6+6
	3.6	Front wheelbase	b10	mm	700
	3.7	Rear wheelbase	b11	mm	705
Dimensions					
	4.4	Lift height	h3	mm	340
	4.15	Height forks lowered	h13	mm	120
	4.20	Length to face of forks	l2	mm	1340
	4.21	Overall width	b1	mm	1250
	4.22	Forks dimensions	s/e/l	mm	90/320/2400
	4.25	Overall forks width size	b5	mm	1730
	4.31	Ground clearance		mm	70
	4.32	Distanza da piano di lavoro a inizio forca	m2	mm	30
	4.34	Aisle width	ast	mm	4350
	4.35	Turning radius	wa	mm	3190
Performance					
	5.1	Travel speed with/without load		Km/h	3/6
	5.2	Lifting speed with/without load		m/s	0.11/0.33
	5.3	Lowering speed with/without load		m/s	0.5/0.2
	5.8	Maximum gradeability with/without load		%	1/3
	5.10	Service brake			elettrico
Motor					
	6.1	Traction motor S2 60 min.		Kw	8
	6.2	Lift motor S3		Kw	2
	6.3	Battery			Piombo acido
	6.4	Battery - voltage and nominal capacity		V/Ah	48V 620Ah
	6.5	Battery weight		Kg	910
	Dim. batteria	Battery size		mm	1200x340x760
Other					
	8.1	Traction control			elettronico
	8.4	Noise level driver place			<70